

CERTIFICATE OF ANALYSIS

Product Name	ReoFlow Sat
INCI Name	Sodium acrylate/Sodium Acryloyldimethyl Taurate Copolymer
CAS#	77019-71-7
Lot Number	SA2684
Manufacture Date	11/2022
Re-test Date	11/2025

Analytical Tests	Specification	Result
Appearance	White powder	CONFORMS
Total solid content	85 MIN. %	92.3
White paste viscosity	25000 - 40000 mPa.s	31500
White paste pH	5.5 - 6.5	6.5
Residual acrylic acid	999 max. ppm	0.0

STABILITY AND STORAGE:

Keep in tightly closed container in a cool and dry place, protected from sunlight. When stored for more than 36 months, quality should be checked before use.

As it is electronically generated document, hence no signature required.

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitability & completeness of such information for his own particular use.